

# Grip and Camera Supports

## Grip and Camera Supports

Dollies:

GFM  
Quad  
Dolly (with air tires, included: turnstile mount, additional  
euro mount, 2x seats, telescopic push bar)

GFM Leveling Legs for GFM Quad Dolly (4x)

Track Wheels for GFM Quad Dolly

Skateboard Wheels for Quad Dolly or Grip Kit

GFM Grip Kit Dolly for standard tracks (with push bar, 1 seat, skateboard wheels, aluminium platform)

NEW optional with central Mitchell mount and Euro-Mitchell adapter allowing extremely low camerapositions with mitchell mounted heads

GFM Grip Kit Dolly for narrow tracks (with skateboard wheels)

NEW optional with central Mitchell mount and Euro-Mitchell adapter allowing extremely low camerapositions with mitchell mounted heads

ELEMACK Steel Tracks 1,60m (Elemack Zip Track /  
track to track 62cm / ca. 50ft/15m in 9 sections)

GFM to  
ELEMACK tracks Adapter (with these adapters it is possible to  
link GFM tracks with ELEMACK tracks)

## Jib Arms and Accessories:

GF-Jib (incl. Transport trolley and up to 8x 12kg counterweights) (reach from 139 cm / 4'6" (max Payload 60kg) to 188cm / 6'1" (max Payload 40kg))

GF-Baby Jib  
(incl. Transport case and up to 4x 12kg counterweights) (reach 45 cm / 1'5" (max Payload 30kg))

Tripod GF-9200 for heavy Jibs (max GF-9) (adjustable height & levelling system (without pan bearing))

## Sliders:

PANTHER U-BANGI (ca. 72cm  
long + Counterweightrod and 2 counterweights 12kg)

GF-GripKit with 4 x extralong arms and central euro mount (usable also with optional trackwheels on standard tracks)

## Camera Supports:

EasyRig Vario 5 +13 (VC582A) with cinema vest 3 standard size. Already modified for FlowCine Serene (not included)

FlowCine SERENE stabilization arm for the EasyRig (Serene extension arm included)

FlowCine GRAVITY ONE passive stabilized lightweight external two axis gimbal rig (Adaptation Plate for ARRI Alexa/XT included)

RONFORD BAKER Super Grip (LOW ANGLE TRIPOD) (150mm bowl / Low angle 7 ½°; (19.5cm). Stub legs 13 ½°; (34.29cm).  
Telescopic legs max. 2°; 11°; (88.9cm), min 2°; (60.98cm))

GF-Grip Kit with long (42cm / 16") or medium (21cm / 8") extension legs (up to 4 peaces of each)

SACHTLER  
VIDEO 25II (150mm Bowl / 37kg max load)

SACHTLER EFP 2 CF (carbon legs / for 150mm Bowl / 95kg max load / height 53-158cm / weight 4,35kg)  
incl. mid or ground spreader SP 150, transport box long

SACHTLER DA 150 long (alloy legs / for 150mm Bowl / 90kg max load / height 78-156cm / weight 6,7kg /)  
incl. mid or ground spreader SP 150, transport box long

HEILER FROG (150mm Bowl)

Bowl Mounts:

GF-Ball Adapter 150mm (Euro  
- to 150mm Bowl) (AL-2150)

Ball Adapter 150mm (Euro  
- to 150mm Bowl)

GFM  
Off-Set Ball Adapter 150 mm long (35 cm / 14") (AL-2153)

GFM  
Off-Set Ball Adapter 150 mm middle (25 cm / 10") (AL-2152)

GFM  
Off-Set Ball Adapter 150 mm short (18 cm / 7") (AL-2151)

GFM  
Flat base tripod adapter AL-2382 (100 / 150 mm) with Euro-adapter

Rotatable  
Adapter (pan bearing for Euro-mount)

GFM  
Euro-adapter AL-2405 (double-ended)

GFM  
Euro-adapter AL-2217 to heavy duty light stand (double-ended Euro-mount + light stand adapter)

GFM Adapter Ring 100mm  
to 150mm (AL-2110)

GFM Adapter Ring flat 75mm  
to 150mm (includes Vinten or Miller compatible)

screw)

GFM 150mm Bowl to Mitchell adapter (AL-2117)

GFM Euro-adapter to Mitchell plate (AL-2384)

Bazookas and Riser:

GFM FIXED RISER 50 cm/ 20" (AL-2350)

BAZOOKA 450mm

ELEMACK cranked BAZOOKA (adjustable 62 - 88 cm)

PANTHER Vario BAZOOKA 39-72 (spring driven / adjustable 39 - 72 cm)

RISER 20 cm/ 8"

RISER 30 cm/ 12"

RISER 40 cm/ 16"

ELEMACK Low Shot Bracket (height ca. 70 cm/Euromount/with counterweight holder)

GFM Off-Set Bracket - Euro to Euro long (35cm / 14") (AL-2130)

GFM Extension tube (35 cm with 2 safety screws) (AL-2366/2)

GFM Extension tube (15 cm with 2 safety screws) (AL-2366/1)

GFM counterweights 12 kg / 26 lbs steel (AL-2403) (9 pieces available)

Magliner with dovetail for camera support

special equipment:

Ken-Lab KS6 Gyrostabilizer